

Passenger Cars Motor Oils



GT Synth Hi Power Pro 5W30
 ACEA C3
 API SN
 BMW Longlife-04
 MB 229.31/229.51
 Porsche C30
 VW 504.00/507.00
 Part no: 80.17



GT Synth Hi Power Pro 10W40
 API SN/CF
 ACEA A3/B4
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 80.04



GT Synth Hi Power Pro 5W40
 ACEA C3
 API SN
 BMW Longlife-04
 MB 229.51
 VW 505.01
 Part no: 80.06



GT Synth Hi Power Pro 10W40
 API SL/CF
 ACEA A3/B4
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 80.13



GT Synth Hi Power Pro 5W30
 ACEA C3
 API SN
 BMW Longlife-04
 MB 229.31/229.51
 Porsche C30
 VW 504.00/507.00
 Part no: 80.10



GT Synth Hi Power Pro 5W30
 ACEA C2, C3
 API SN
 BMW Longlife-04
 GM dexos 2
 MB 229.51/229.52
 Porsche C30 VW 505.01
 Part no: 80.09



GT Synth Hi Power Pro 10W40
 ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 80.15



GT Synth Hi Power Pro 5W40
 ACEA C3
 API SN
 BMW Longlife-04
 MB 229.51
 VW 505.01
 Part no: 80.16



GT Synth IQ Formula 10W40
 ACEA A3/B4
 API SN/CF
 MB 229.3
 PSA B71 2300
 Renault RN0700 / RN0710
 VW 501.01 / 505.00
 Part no: 06.30

Passenger Cars Motor Oils



GT Synth IQ Formula 10W40
 VW 503.00/506.00/506.01
 Part no: 06.01



S High Performance Intelligence SAE 40
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.04



S High Performance Intelligence SAE 50
 API SF/CC
 CCMC G2/D1
 MIL-L-46152B/C
 Ford M2C153-C (SF/CC)
 Ford M2C9011-A
 GM 6085M
 Part no: 03.05



GT Arctic Synth IQ Formula Synthetic 0W20
 ACEA A1/B1
 API SH/CF
 API SN/CF *)
 *) API SN quality only; not-licensable due to phosphorus-limit
 Part no: 06.53



GT Synth IQ Formula 10W40
 ACEA A3/B4
 API SN/CF
 MB 229.3
 Renault RN0700
 VW 505.00
 Part no: 06.96



GT Synth IQ Formula SN/CF 10W40
 ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 06.90



GT Synth IQ Formula VW 0W30
 Performance level
 VW 503.00/506.00/506.01
 Part no: 06.22



GT Synth IQ Formula 0W40
 ACEA A3/B4
 API SN/CF
 BMW Longlife-01
 MB 229.3/226.5
 Porsche A40
 Renault RN0700/RN0710
 VW 502.00/505.00
 Part no: 06.38



GT Synth IQ Formula 0W40 ACEA A3/B4
 API SN Meets the requirements of:
 BMW Longlife-01
 Ford WSS-M2C937-A
 MB 229.3 / 229.5
 Porsche A40
 Renault RN0700/RN0710
 VW 502.00/505.00
 Part no: 06.78

Passenger Cars Motor Oils



GT Synth IQ Formula C2 5W30
ACEA C2
 API SN/CF
 Fiat 9.55535-51
 Renault RN0700
 Part no: 06.23



GT Synth IQ Formula C1 5W30
ACEA C1
 Jaguar Land Rover STJLR.03.5005
 Meets the requirements of:
 Ford WSS-M2C934-B
 Part no: 06.24



GT Synth IQ Formula C4 5W30
ACEA C3, C4
 MB-Approval 229.51
 Meets the requirements of:
 MB 226.51
 Renault RN0720
 Part no: 06.34



GT Synth IQ Formula NF 5W30
ACEA C3
 API SP
 Approved under VW 504.00 / 507.00
 MB-Approval 229.51 / 229.52
 BMW Longlife-04; Porsche C30
 Meets the requirements of:
 MB 229.31
 Opel OV 040 1547 - D30 / G30
 Part no: 06.56



GT Synth IQ Formula VW 0W30
ACEA C3
 Approved under VW 504.00 / 507.00
 Meets the requirements of:
 BMW Longlife-04
 MB 229.31 / 229.51 / 229.52
 Porsche C30
 Part no: 06.44



GT Synth IQ Formula 0W20
ACEA C5
 API SN, API SN Plus
 Meets the requirements of:
 VW 508.00 / 509.00
 Porsche C20
 Part no: 06.98



GT Synth IQ Formula 5W30
ACEA C3
 API SP
 BMW Longlife-04
 MB 229.31 / 229.51 / 229.52
 Opel OV 040 1547 - D30 / G30
 Porsche C30
 VW 504.00 / 507.00
 Part no: 06.59



GT Synth IQ Formula 5W30
ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 06.94



GT Synth IQ Formula 5W40
ACEA A3/B4
 API SN/CF
 BMW Longlife-98
 MB 229.1
 VW 501.01/505.00
 Part no: 06.95

Passenger Cars Motor Oils



GT Synth IQ Formula 5W30

ACEA A5/B5, A1/B1
API SL/CF
Meets the requirements of:
Ford WSS-M2C913-D
Renault RN0700
Jaguar Land Rover STJLR.03.5003
Part no: 06.55



GT Synth IQ Formula 0W30

ACEA A3/B4; API SH/CF
BMW Longlife-01; MB 229.3/226.5
Renault RN0700; VW 502.00/505.00
API SN/CF *)
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.68



GT Synth IQ Formula 5W30

ACEA A3/B4; API SH/CF; BMW Longlife-01
MB 229.3/226.5; Renault RN0700
VW 502.00/505.00; API SN/CF *)
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.21



GT Synth IQ Formula 5W50

ACEA A3/B4
API SN/CF
MB 229.3
Porsche A40
VW 502.00/505.00
Part no: 06.31



GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF; BMW Longlife-01
Fiat 9.55535-M2; GM LL-B-025
MB 229.3 / 226.5; Porsche A40
PSA B71 2296
Renault RN0700 / RN0710
VW 502.00 / 505.00
Part no: 06.42



GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF
Meets the requirements of:
MB 229.3 / 226.5; Renault RN0700 / RN0710
VW 502.00 / 505.00; BMW Longlife-01
Fiat 9.55535-M2; GM LL-B-025
Porsche A40; PSA B71 2296
Part no: 06.20



GT Synth IQ Formula 10W30

ACEA A3/B4
API SH/CF
VW 502.00/505.00
API SN/CF *)
API SN quality only;
not-licensable due to phosphorus-limit
Part no: 06.84



GT Synth IQ Formula 5W40

ACEA A3/B4; API SN/CF
Meets the requirements of:
BMW Longlife-01; MB 229.5 / 229.3 / 226.5
Opel GM-LL-B-025; Porsche A40
PSA B71 2296
Renault RN0700 / RN0710
VW 502.00 / 505.00 / 501.01
Part no: 06.75



GT Synth IQ Formula 0W30

ACEA A5/B5
API SL
Meets the requirements of
Volvo VCC 95200377
Part no: 06.52

Passenger Cars Motor Oils



GT Synth IQ Formula 0W20
 ACEA **C5**,
 API SN
 Volvo VCC RBS0-2AE
 Part no: 06.89



GT Synth IQ Formula NF 0W16
 API SP Resource Conserving
 ILSAC GF-6B
 Part no: 06.88



GT Synth IQ Formula 0W30
 Performance level
 ACEA **C2**, A5/B5
 API SP
 Part no: 06.51



GT Synth IQ Formula 0W30
 ACEA C2, A5/B5
 API SP Resource Conserving
 ILSAC GF-6A
 BMW Longlife-12 FE
 Meets the requirements of:
 DTFR 15D100
 Ford WSS-M2C950-A
 MB 227.61 / 229.61
 Part no: 06.99



GT Synth IQ Formula 0W30
 ACEA **C2**
 Ford WSS-M2C950-A
 Jaguar Land Rover STJLR.03.5007
 Part no: 06.05



GT Synth IQ Formula 15W50
 ACEA A3/B4
 API SL/CF
 MB 229.1
 VW 501.01/505.00
 Part no: 05.07



GT Synth IQ Formula PSA 0W30
 ACEA **C2**
 API SP
 PSA B71 2312
 Meets the requirements of:
 PSA B71 2302
 Part no: 06.77



GT Synth IQ Formula 0W40
 ACEA **C3**
 API SN/CF
 BMW Longlife-04
 GM dexos 2
 MB 229.31/229.51
 Part no: 06.79



GT Synth IQ Formula 5W20
 ACEA **C5**
 API SP
 Ford WSS-M2C948-B
 Meets the requirements of:
 Jaguar Land Rover STJLR.03.5004
 Part no: 06.67

Passenger Cars Motor Oils



GT Synth IQ Formula 10W30
 ACEA A3/B3
 API SL/CF
 Part no: 06.37



GT Synth IQ Formula 5W30
 ACEA C2 C3
 API SP
 PSA B71 2290
 Meets the requirements of:
 MB 229.31 / 229.51 / 229.52 / 226.52
 Renault RN17 / RN0700 / RN0710
 Part no: 06.83



GT Synth IQ Formula 5W30
 ACEA C2, C3
 API SN
 BMW Longlife-04
 MB-Approval 229.31 / 229.51 / 229.52
 Approved under VW 505.00 / 505.01
 Meets the requirements of: GM dexos 2
 Opel OV 040 1547 - D30 / G30
 Part no: 06.74



GT Synth IQ Formula 5W40 NF
 ACEA C3
 API SN, API SN Plus
 BMW Longlife-04
 MB-Approval 229.51
 Meets the requirements of:
 MB 229.31/229.52
 VW 505.00/505.01
 Part no: 06.04



GT Synth IQ Formula NF 5W30
 ACEA C3
 API SN, API SN Plus
 BMW Longlife-04
 GM dexos 2
 MB 229.31 / 229.51 / 229.52
 Opel OV 040 1547 - D30 / G30
 VW 505.00 / 505.01
 Part no: 06.61



GT Synth IQ Formula 5W30
 ACEA C3
 API SN, API SN Plus
 MB-Approval 229.31 / 229.51 / 229.52
 BMW Longlife-04; Meets the requirements of:
 GM dexos 2; Opel OV 040 1547 - D30 / G30
 VW 505.00 / 505.01
 Part no: 06.54



GT Synth IQ Formula 5W40
 ACEA C3
 API SN, API SN Plus
 BMW Longlife-04
 MB 229.51/229.52
 VW 505.00/505.01
 Part no: 06.62



GT Synth IQ Formula 5W30
 ACEA C2 C3
 API SP
 BMW Longlife-04
 GM dexos 2
 MB 229.31 / 229.51 / 229.52
 Opel OV 040 1547 - D30 / G30
 VW 505.00 / 505.01
 Part no: 06.85



GT Synth IQ Formula 5W40
 ACEA C3
 API SN
 Meets the requirements of:
 BMW Longlife-04
 MB 229.52 / 229.51 / 229.31
 Porsche C40; VW 511.00
 GM dexos 2; Renault RN0700 / RN0710
 Part no: 40.03

Passenger Cars Motor Oils



GT Synth IQ Formula 10W60
 ACEA C3
 API SN/CF
 Part no: 06.66



GT Synth IQ Formula 0W20
 API SP Resource Conserving
 ILSAC GF-6A; Meets the requirements of:
 GM dexos 1 Gen 3; Chrysler MS 6395
 Fiat 9.55535-CR1
 Ford WSS-M2C947-A/B1 / WSS-M2C962-A1
 GM 6094M
 Part no: 06.09



GT Synth IQ Formula 5W20
 API SP Resource Conserving
 ILSAC GF-6A; GM dexos 1 Gen 3
 Chrysler MS 6395; Fiat 9.55535-CR1
 Ford WSS-M2C945-A/B1 / WSS-M2C960-A1
 GM 6094M
 Part no: 06.08



GT Fully Synthetic IQ Formula 5W50
 ACEA A3/B4
 API SN/CF
 MB 229.3
 Porsche A40
 VW 502.00/505.00
 Part no: 06.12



GT Synth IQ Formula 0W30
 ACEA A3/B4; API SH/CF
 BMW Longlife-01; MB 229.3/226.5
 Renault RN0700; VW 502.00/505.00
 API SN/CF *) API SN quality only; not-licensable
 due to phosphorus-limit
 Part no: 06.50



GT Synth IQ Formula 5W30
 API SP Resource Conserving; ILSAC GF-6A
 Meets the requirements of:
 GM dexos 1 Gen 3; Opel OV 040 1547 - G30
 Chrysler MS 6395; Fiat 9.55535-CR1
 Ford WSS-M2C946-A/B1 / M2C961-A1 / M2C929-A
 GM 6094M / 4718M
 Part no: 06.07



GT Fully Synthetic IQ Formula 10W60
 ACEA A3/B4
 API SN/CF
 Part no: 06.16



GT Synth IQ Formula 10W40
 ACEA A3/B3, A3/B4-08
 API SL/CF
 MB 229.1
 VW 501.01/505.00
 Part no: 06.02



GT Synth IQ Formula 10W40
 ACEA C3
 Meets the requirements of
 Renault RN17
 Part no: 06.13

Passenger Cars Motor Oils



GT Synth IQ Formula 15W40
API SF/CC
CCMC G2/D1
Part no: 04.03



GT Synth IQ Formula 15W50
API SF/CC
CCMC G2/D1
Part no: 04.04



GT Synth IQ Formula 20W50
API SF/CC
CCMC G2/D1
Part no: 04.05



GT Synth IQ Formula 10W30
ACEA A3/B3
API SL/CF
MB 229.1
API SM/CF *)
*) API SM quality only; not-licensable due to phosphorus-limit
Part no: 06.49



GT Synth IQ Formula 5W30
ACEA A5/B5
API SL/CF
Ford WSS-M2C913-A/B
Part no: 06.60



GT Synth IQ Formula 15W40
ACEA A3/B4
API SN/CF
MB 229.1
VW 501.01/505.00
Part no: 05.01



GT Synth IQ Formula 10W40
ACEA A3/B3, A3/B4-08
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 06.02



GT Synth IQ Formula 5W50
ACEA A3/B4
API SN/CF
MB 229.3
Porsche A40
VW 502.00/505.00
Part no: 06.87



GT Synth IQ Formula 0W40
ACEA A3/B4
API SN/CF
BMW Longlife-01
MB 229.3/226.5
Porsche A40
Renault RN0700/RN0710
VW 502.00/505.00
Part no: 02.01

Passenger Cars Motor Oils



GT Synth IQ Formula 0W30

ACEA A3/B4
API SL
Meets the requirements of:
Volvo VCC 95200356
MB 229.3/229.5
Renault RN0700/RN0710
VW 502.00/505.00
Part no: 06.58



GT Synth IQ Formula 0W20

ACEA C5, C6; API SP Resource Conserving
ILSAC GF-6A; BMW Longlife-17 FE+
Jaguar Land Rover STJLR.03.5006
MB-Approval 229.71 / 229.72
Meets the requirements of:
Ford WSS-M2C947-B1 / WSS-M2C962-A1
Opel OV 040 1547 - A20; Chrysler MS-12145
Fiat 9.55535-GSX
Part no: 06.82



GT Synth IQ Formula 15W40

ACEA A3/B4
API SN/CF
MB 229.1
VW 501.01/505.00
Part no: 05.01



GT Synth IQ Formula 5W40

ACEA C3; API SN
Meets the requirements of:
BMW Longlife-04
MB 229.52 / 229.51 / 229.31
Porsche C40; VW 511.00
GM dexos 2
Renault RN0700 / RN0710
Part no: 40.03



GT Synth IQ Formula 20W50

ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 05.12



GT Synth IQ Formula 15W40

ACEA A3/B4
API SL/CF
MB 229.1
VW 501.01/505.00
Part no: 06.33



GT Synth HD Formula 0W20

ACEA C5
Meets the requirements of:
Renault RN17 FE
Part no: 40.01



RS Fully Racing Synthetic Cup Extreme Oil 10W30

ACEA A3/B4; API SH/CF
API SN/CF *)
*) API SN quality only; not-licensable
due to phosphorus-limit
Part no: 06.69



RS Fully Racing Synthetic Cup Extreme Oil Ferrari 458 etc Oil 5W40

ACEA A3/B4
API SN/CF
Part no: 06.70



Passenger Cars Motor Oils



**RS Fully Racing Synthetic
Cup Extreme Oil 5W50**
ACEA A3/B4
API SN/CF
Part no: 06.76



**RS Fully Racing Synthetic
Cup Extreme Oil 10W60**
ACEA A3/B4
API SN/CF
Part no: 06.71



Brake Fluid DOT 4
FMVSS 116 DOT 4
SAE J1703, ISO 4925
Part no: 25.01



Brake Fluid DOT 4 RACING
FMVSS 116 DOT 4
SAE J1703, ISO 4925
Part no: 25.01



Heavy Goods Vehicles Motor Oils



HD Super Synthturbo Fleet Oil 30 CF
 ACEA E2
 API SG/CF
 MB 227.0/228.0
 MAN 270
 Part no: 07.03



HD Super Synthturbo Fleet Oil 40 CF
 ACEA E2
 API SG/CF
 MB 227.0/228.0
 MAN 270
 Part no: 07.04



HD Super Synthturbo Fleet Oil 50
 ACEA E2
 API SG/CF
 MB 227.0/228.0
 MAN 270
 Part no: 07.05



LKW Max Power & Torque Ultra 20W-40
 ACEA E7
 API CH-4/SJ
 Cummins CES 20076/20077
 MAN M 3275-1
 MB 228.1
 Part no: 09.07



LKW Max Power & Torque LSP 15W-40
 ACEA E9, E11; API CK-4 / SN; Cat ECF-3
 Cummins CES 20086; Detroit Diesel 93K222
 Deutz DQC III-18 LA; DTFR 15C100
 Ford WSS M2C171-F1; Mack EOS-4.5
 MAN M 3775; MB 228.31
 MTU Type 2.1; Renault VI RLD-3
 Volvo VDS-4.5
 Part no: 10.35



HD Fleet Oil SG/CF 70
 ACEA E2
 API SG/CF
 MB 227.0/228.0
 MAN 270
 Part no: 07.11



Unifleet Ultra 10W30
 ACEA E7; API CI-4 / SH
 Cat ECF-1-a / ECF-2
 Cummins CES 20077 / 20078
 Deutz DQC III-18
 DTFR 15B110; MAN M 3275-1
 MB 228.3; MTU Type 2
 Renault VI RLD-2
 Part no: 10.10



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CI-4/SL
 MB-Approval 228.3; Mack EO-N, Renault VI RLD-2; Volvo VDS-3; Meets the requirements of: Cat ECF-1-a/ECF-2
 Cummins CES 20077/20078; Detroit Diesel 93K215; Deutz DQC III-18
 Global DHD-1; JASO DH-1
 Mack EO-M Plus; MAN M 3275-1
 MTU Type 2
 Part no: 10.01



LKW Max Power & Torque Ultra 15W-40
 ACEA E7; API CI-4 / SL; Cat ECF-1-a / ECF-2
 Cummins CES 20077/20078; Detroit Diesel 93K215
 Deutz DQC III-18; DTFR 15B110; Global DHD-1
 JASO DH-1; Mack EO-N/EO-M Plus
 MAN M 3275-1; MB 228.3; MTU Type 2
 Renault VI RLD-2; Volvo VDS-3
 Part no: 10.12-B

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra 20W-50
 ACEA E7
 API CI-4/SL
 Cummins CES 20077/20078
 Deutz DQC III-18
 Global DHD-1
 MB 228.3
 Part no: 10.04



LKW Max Power & Torque Ultra HS 10W-30
 ACEA A3/B4, E7; API CI-4 / SH; Cat ECF-2
 Cummins CES 20077 / 20078; Deutz DQC III-18
 DTFR 15B110; Global DHD-1; JASO DH-1
 MAN M 3275-1; MB 228.3; MTU Type 2
 Renault VI RLD-2
 Part no: 10.30



LKW Max Power & Torque Ultra HS 10W-40
 ACEA A3/B4, E7; API CI-4 / SL; DTFR 15B110 (228.3)
 Mack EO-N, Renault VI RLD-2; Volvo VDS-3
 Meets the requirements of:
 Cat ECF-1-a / ECF-2; Cummins CES 20077 / 20078
 Detroit Diesel 93K215; Deutz DQC III-18
 Global DHD-1; JASO DH-1; MAN M 3275
 MB 228.3; MTU Type 2
 Part no: 10.03



LKW Max Power & Torque LSP +Plus 5W-30
 ACEA E6, E7, E9, E11; API CK-4 / SN
 Cat ECF-3; Cummins CES 20081
 Detroit Diesel 93K218
 Deutz DQC IV-10 LA
 DTFR 15C110 / 15C100 / 13D110
 JASO DH-2; Mack EO-O Premium Plus /
 EO-N PP / EO-M Plus
 MAN M 3677 / M 3477 / M 3271-1
 MB 228.51 / 228.31 / 235.28
 MTU Type 3.1; Renault VI RLD-3 / RLD-2
 / RXD / RGD; Scania Low Ash / LDF-4
 Voith Class B; Volvo VDS-4 / VDS-3 / CNG
 Part no: 10.34



LKW Max Power & Torque Fleet-force CI-4 15W-50
 ACEA A3/B4, E7
 API CI-4/SL
 DTFR 15B110
 MB 228.3
 Part no: 09.09-B



LKW Max Power & Torque Ultra HS 10W-40
 ACEA A3/B4, E7; API CI-4 / SL; Cat ECF-1-a / ECF-2
 Cummins CES 20077 / 20078; Detroit Diesel 93K215
 Deutz DQC III-18; DTFR 15B110; Global DHD-1
 JASO DH-1; Mack EO-N; MAN M 3275
 MB 228.3; MTU Type 2
 Renault VI RLD-2; Volvo VDS-3
 Part no: 10.15



LKW Max Power & Torque FDL 10W-40
 ACEA E4, E7; API CI-4; Meets the re-
 quirements of: MB 228.5; Scania LDF-2
 MAN M 3277; Renault VI RLD-2
 Volvo VDS-3; Cummins CES
 20077/20078; Deutz DQC III-10
 Global DHD-1; Mack EO-N, EO-M Plus
 MTU Type 3
 Part no: 10.05



LKW Max Power & Torque NF 10W-40
 ACEA E4, E7; API CI-4; Mack EO-N
 Renault VI RLD-2; Scania LDF-3
 Volvo VDS-3; Meets the requirements of:
 Cummins CES 20078 / 20077; Deutz IV-
 18; DTFR 15B120; MAN M 3277
 MB 228.5
 MTU Type 3
 Part no: 10.20



LKW Max Power & Torque LSP 10W-40
 ACEA E6, E7, E8, E9, E11; API CI-4; Deutz DQC IV-
 18 LA; Mack EO-N; DTFR 15C110 (228.51)
 NATO-code O-1180, TL 9150-0107/4; Renault VI
 RLD-2; Volvo VDS-3; Meets the requirements of:
 Cat ECF-1; Cummins CES 20076 / 20077
 JASO DH-2; MAN M 3477 / M 3271-1
 MB 228.51; MTU Type 3.1; DAF Extended Drain
 Iveco 18-1804 TLS E6; Renault VI RXD / RGD
 Part no: 10.13

Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque LSP 10W-40
 ACEA E6, E7, E8, E9, E11; API CI-4
 Cat ECF-1; Cummins CES 20076 /
 20077; DAF Extended Drain
 Deutz DQC IV-18 LA; DTFR 15C110
 Iveco 18-1804 TLS E6; JASO DH-2
 Mack EO-N; MAN M 3477 / M 3271-1
 MB 228.51; MTU Type 3.1
 Renault VI RLD-2 / RXD / RGD
 Volvo VDS-3
 Part no: 10.22



LKW Max Power & Torque 5W20
 Scania LDF-5
 Meets the requirements of:
 MAN M 3977
 Part no:43.01



LKW Max Power & Torque FDL3 10W-40
 ACEA E4, E7; API CF; MAN M 3277
 MB-Approval 228.5; Scania LDF-3
 Mack EO-N; Renault VI RLD-2
 Volvo VDS-3; Meets the requirements of:
 Deutz DQC III-10; MTU Type 3
 Scania LDF-2; DAF Extended Drain
 Part no: 10.25



LKW Max Power & Torque Fleet Line LSP 15W-40
 ACEA E9, E11; API CK-4 / SN
 Mack EOS-4.5; Renault VI RLD-3
 Volvo VDS-4.5; Meets the require-
 ments of: Cat ECF-3
 Cummins CES 20086
 Detroit Diesel 93K222
 Deutz DQC III-18 LA
 DTFR 15C100; Ford WSS M2C171-F1
 MAN M 3775; MB 228.31
 MTU Type 2.1
 Part no: 10.11



LKW Max Power & Torque Fleet Line LSP 10W-30
 ACEA E9, E11; API CK-4; Mack EOS-4.5
 Renault VI RLD-3; Volvo VDS-4.5
 Meets the requirements of:
 Cat ECF-3; Cummins CES 20086
 Detroit Diesel 93K222
 Deutz DQC III-18 LA; DTFR 15C100
 Ford WSS M2C171-F1; MAN M 3775
 MB 228.31; MTU Type 2.1
 Part no: 10.33



LKW Max Power & Torque Fleet Line LSP 5W-40
 ACEA E7, E9; API CJ-4/SM; Meets the
 requirements of: Cat ECF-2/ECF-3;
 Cummins CES 20081; Detroit Diesel
 93K218/93K215/93K214
 Mack EO-O Premium Plus; MAN M 3575
 MB 228.31; Renault VI RLD-3
 Volvo VDS-4
 Part no: 10.27



LKW Max Power & Torque LSP 10W-40
 ACEA E6, E7, E8, E9, E11; API CK-4
 Deutz DQC IV-18 LA; DTFR 15C110
 (228.51); Mack EOS-4.5
 Renault VI RLD-3; Volvo VDS-4.5
 Meets the requirements of:
 Cat ECF-3; Cummins CES 20086
 Detroit Diesel 93K222; DTFR 15C120 /
 15C100; JASO DH-2; MAN M 3477 / M
 3775; MB 228.51 / 228.52 / 228.31; MTU
 Type 3.1; DAF Extended Drain; Iveco
 18-1804 TLS E9
 Part no: 10.38



LKW Max Power & Torque Ultra 5W-30
 API FA-4 / SN
 DTFR 15C130 (228.61)
 Meets the requirements of:
 Cummins CES 20087
 Detroit Diesel DFS 93K223
 JASO DH-2
 MB 228.61
 Part no: 10.08



LKW Max Power & Torque Fleet Line LSP 15W-40
 ACEA E7; API CH-4/SJ
 Meets the requirements of:
 MAN M 3275-1; MB 228.1
 Cat ECF-1-a
 Cummins CES 20076/20077
 Deutz DQC III-10; MTU Type 2
 Volvo VDS-2
 Part no: 09.01



Heavy Goods Vehicles Motor Oils



LKW Max Power & Torque Ultra 15W-40

ACEA E7; API CH-4/SJ
Cat ECF-1-a; Cummins CES 20076/20077
Deutz DQC III-10; MAN M 3275-1
MB 228.1; MTU Type 2
Volvo VDS-2
Part no: 09.04



LKW Max Power & Torque 5W30

ACEA E6, E7, E9; API CK-4/SN; Mack EOS-4.5
MB-Approval 228.51; Renault VI RLD-3; Scania
LDF-4; Volvo VDS-4.5; Meets the requirements of:
Cat ECF-3; Cummins CES 20086; Detroit Diesel
DFS 93K222; Deutz DQC IV-18 LA; Ford WSS-
M2C213-A; JASO DH-2; MAN M 3775; MB 228.31 /
228.52; MTU Type 3.1; DAF Extended Drain / Iveco
18-1804 TLS E9
Part no: 10.07



LKW Max Power & Torque LSP 10W-30

ACEA E7, E9, E11; API CK-4 / SN
Mack EOS-4.5; Renault VI RLD-3
Volvo VDS-4.5; Meets the requirements of:
Cat ECF-3; Cummins CES 20086
Detroit Diesel 93K222; Deutz DQC III-18 LA
DTFR 15C100; Ford WSS-M2C171-F1
MAN M 3775; MB 228.31
MTU Type 2.1
Part no: 10.32



LKW Max Power & Torque 5W20

ACEA E4, E6, E7, E8, E9, E11; API CK-4
Mack EOS 4.5; Renault VI RLD-3; Volvo VDS-4.5
Meets the requirements of: Cat ECF-3
Cummins CES 20086 / 20081; DAF Extended
Drain; Detroit Diesel 93K222
Deutz DQC IV-18 LA; DTFR 15C110 / 15C120 /
15C100; JASO DH-2; MAN M 3775 / M 3477 /
M 3271-1; MB 228.51 / 228.52 / 228.31
MTU Type 3.1 / 2.1; Scania Low Ash
Part no: 43.03



LKW Max Power & Torque SJ 15W40

ACEA A2, B2, E2;
API CG-4/SJ;
Mack EO-L Plus;
MAN 271;
MB 228.1;
Volvo VDS
Part no: 08.07



LKW Max Power & Torque Truck Racing & Track 15W-60

ACEA E6, E7, E9, E11
API CK-4
Part no: 10.26

2&4 Stroke Small Engine Motor Oils



4T Motorcycle FS 20W50
API SN
JASO MA2
JASO MA
Part no.12.06



4T Super 10W40
API SL
JASO MA2
JASO MA
Part no.12.27



4T Super 20W50
API SL
JASO MA2
JASO MA
Part no.12.29



4T Motorcycle HS 15W50
API SN
JASO MA2
JASO MA
Part no.12.03



4T Motorcycle HS 10W40
API SN
JASO MA2
JASO MA
Part no.12.01



4T Racing Polar 5W40
API SL
JASO MA2
Part no.12.28



4T Motorcycle HS 20W50
API SN
JASO MA2
JASO MA
Part no. 12.02



4T Motorcycle Synthetic 10W40
API SN
JASO MA2
JASO MA
Part no.12.19



4T Motorcycle Synthetic 5W50
API SN
JASO MA2
JASO MA
Part no.12.14

2&4 Stroke Small Engine Motor Oils



4T Motorcycle Synthetic 5W40
API SN
JASO MA2
JASO MA
Part no.12.16



4T Motorcycle Synthetic 10W60
API SN
JASO MA2
JASO MA
Part no.12.21



4T Motorcycle Synthetic 15W50
API SN
JASO MA2
JASO MA
Part no.12.23



4T Motorcycle FS 10W40
API SN
JASO MA2
JASO MA
Part no.12.04



4T Motorcycle FS 5W50
API SN
JASO MA2
JASO MA
Part no. 12.09



4T Motorcycle FS 5W40
API SN
JASO MA2
JASO MA
Part no.12.15



4T Motorcycle FS 15W50
API SN
JASO MA2
JASO MA
Part no.12.05



4T Motorcycle FS 20W50
API SN
JASO MA2
JASO MA
Part no.12.06



4T Motorcycle FSES 5W50
API SN
JASO MA2
JASO MA
Part no.12.24

2&4 Stroke Small Engine Motor Oils



4T Motorcycle FSES 20W50

API SN
JASO MA2
JASO MA
Part no.12.25



4T HD FS 20W50

API SN
JASO MA2
JASO MA
Part no.12.07



FS 2T Racing

API TC; JASO FD;
Husqvarna;
ISO-L-EGD
Piaggio; Hexagon
Part no.13.12



Two Stroke Jaso

API TC; JASO FC
ISO-L-EGC
TISI
Part no.13.05



FS 2T Air Cooled

API TC; JASO FD; Husqvarna
ISO-L-EGD; Piaggio Hexagon
Part no.13.03



Two Stroke Ashless

NMMA TC-W3
Part no.14.01



Two Stroke HS (Low Smoke)

API TC; JASO FD
Global GD
Husqvarna 272
ISO-L-EGD
2-Stroke DFI
Part no.13.02



FS 2T Air Cooled Low Viscosity

API TC+
JASO FD (Low Smoke)
Husqvarna 226/Chainsaw
ISO-L-EGD
Piaggio Hexagon; TISI
Part no. 13.13



Two Stroke ZTT

API TC
Part no.13.01

SAUBER OIL GERMANY 
www.sauberoil.de

ON TRACK, ON THE ROAD, IN YOUR CAR. www.sauberoil.de

2&4 Stroke Small Engine Motor Oils



Mineral Budget Two Stroke
APITC
Part no.13.06



TRANSMISSION FLUIDS



Gear Oil 85W140 GL-5
API GL-5
Part no. 16.13



Gear Oil 90
API GL-1
Part no. 15.02



Gear Oil 140
API GL-1
Part no. 15.03



Uni Gear 85W140 LD/LS
API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-L-PRF-2105E, SAE J2360
MAN 341 Z2 / 342 M2
Scania STO 1:0
ZF TE-ML 05C/07A/12M/16C/16D/21C
P > 1900 mg/kg (Liebherr)
Part no. 20.04



MP Gear Oil 90
API GL-4; MIL-L-2105
Part no. 16.07



MP Gear Oil 80
API GL-4; MIL-L-2105
Part no. 16.01



Export Gear Oil 80W90 GL-4
API GL-4
Part no. 16.10



Export Gear Oil 80W90 GL-5
API GL-5
Part no. 16.11



Uni Gear 75W80
API GL-4; MAN 341 Typ Z4
ZF TE-ML 01L / 02L / 16K
Meets the requirements of:
DAF; Eaton Europe (extended drain)
Iveco; Renault
Volvo 97307
ZF TE-ML 08 / 13 / 24A
Part no. 18.02

TRANSMISSION FLUIDS



Uni Gear 75W90 HS

API GL-4/5
MIL-L-2105
VW 501.50
Part no. 18.01



Semi Synthetic 75W90 GL-5

API GL-5
MIL-L-2105D
ZF TE-ML 07A/17B
Part no. 17.17



HD Gear Oil HS 75W90

API GL-4/5
MIL-L-2105
VW 501.50
Part no. 18.01



UTTO WB HT

API GL-4+
MIL-L-2105
PSA B71 2330
Part no. 18.03



UTTO WB HT

API GL-4
Allison C4
Case MS1207 / MS1209
Cat TO-2
John Deere J20A
Massey Ferguson M1141 / M1143 / M1145
Volvo WB 102 (97304)
ZF TE-ML 03E / 06K
Part no. 23.07



LD Gear Oil HS 75W140

API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-PRF-2105E, SAE J2360
Scania STO 1:0
ZF TE-ML 05A/07A/12B/12N/16F/19C/21A
Part no. 18.13



Uni Gear 75W80 LD

API GL-4/GL-5/MT-1
MIL-L-2105D/MIL-PRF-2105E, SAE J2360
ZF TE-ML 02B/17B
Part no. 18.12



Hydraulic Transmission Fluid 540

API GL-4; Allison C4; Cat TO-2; Case MS 1210
CNH MAT 3540 / 3525; FNHA-2-C-200.00 / 201.00
Ford M2C86-C / M2C134-D; John Deere J20C/D
Massey Ferguson M1141 / M1143 / M1145
Valtra G2-08; Volvo WB 101 (97303)
ZF TE-ML 03E / 05F / 06K / 17E / 21F
Part no. 23.10



ATF 289

Cat TO-2
DTRF 13C140
Ford Mercon / M2C138-CJ / 166-H
GM Dexron IID
MAN 339 Typ Z1 / V1
MB 236.6 / 236.7
Voith 55.6335 (G607)
ZF TE-ML 09 / 11A / 14A
Part no. 21.01

TRANSMISSION FLUIDS



Hydraulic Transmission Fluid 540

Aisin Warner JWS 3309/3324/AW-1/AW-2, Allison C4; BMW 7045E/8072B/LA2634/LT71141/ATF3+/+6/M-1375.4
 Chrysler ATF+/+2/+3/+4, DTFR 13C110/140/150/170; Ford Mercon ULV/LV/V/SP / WSS-M2C922-A1 / M2C949-A
 GM Dexron ULV/VI/II/III/IIIG/IIH/Suffix A; Honda DW-1/3.0/3.1/ATF-Z1 (except in CVT); Hyundai/Kia SP-II/-III/-IV/-V
 RR/RED-1K/NWS 9638; Isuzu ATF II/III, Jaguar JLM 20238/20292/21044; JASO M315 Type 1A LV, Mazda FZ/M-III/Type T-IV
 MB 236.5/236.6/236.7/236.8/236.9/236.10/236.11; MB 236.12/236.14/236.15/236.17/236.41/236.93; Mitsubishi SP-II/III/
 J2/J3/PA, Nissan D/J/K/S/W; Subaru HP; Suzuki ATF 3314/3317, PSA B71 2340; Toyota DII/T-T-III/T-IV/WS, Volvo 1161540
 VW G 052 025 / 052 055 / 052 162; VW G 052 533 / 052 990; VW G 055 005 / 055 025 / 055 540 / 060 162

ZF 11A / 11B

Part no. 21.21



ATF VI

Aisin Warner JWS 3309(T-IV)/3324(WS)/AW-1/AW-2; Allison C3/C4, BMW 7045E/8072B/LA2634/ATF6/Mini; Cat TO-2, Chrysler
 Dodge Mopar AS68RC/69RC (T-IV); Chrysler ATF+/+2/+3, Daihatsu ATF D-II/D-III SP; DTFR 13C100/120/140/150/170/38B100
 Ford Mercon/LV/M2C138-CJ/166-H/922-A1/924-A/938-A; GM Dexron VI/II/III/IIIG/IIH, Fiat IV/AV5/AV6; Honda Acura DW-1/
 ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/SP-IV/SP-V/SP-IV RR; Hyundai/Kia JWS 3314/9638, Isuzu ATF II/III/SP/WSI
 Jaguar ATF 3403 M115/JLM 20238/20292; JASO M315-2013 1A/1A-LV/2A; Mazda ATF DII/M-III/M-V/FZ/A7/F-1/S-1/N-1/3317
 MB 236.1/2/3/236.5/236.7/236.8/236.9/236.41; Mitsubishi SK/SP-II/SP-III/SP-IV/AW/J2/J3 / PA/MA1; Nissan Matic C/D/J/K/P/
 S/W, Porsche 3403-M115/T-IV; Subaru ATF 5AT/HP; Suzuki ATF 3309/3314/3317/2326/2384K, PSA B71 2340; Toyota D-II/D-III/T-
 III/T-IV/WS, Tesla Model S/3/X; VW G 052 025 / 052 055 / 052 162 / 052 990; VW G 053 001 / 053 025 / 055 005 / 055 025
 VW G 055 162 / 055 540 / 060 162; Voith 55.6335.xx (G607), Volvo 97335/97340/1161540
 ZF 5HP 18FL/19FL/24A/30/4HP20, ML 05L/09/11A/B/21L

Part no. 21.12



ATF 7G

Allison C4 / TES-389 / TES-295; BMW 7045E / 8072B / LA2634 / LT71141
 Chrysler ATF+/+2/+3/+4; DTFR 13C110 / 13C140 / 13C150 / 13C170 / 13C180
 Ford Mercon V / Mercon / WSS-M2C922-A1; GM Dexron II/IIID/IIIE/IIIG/IIIH / Type A Suffix A
 Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III/RED-1K, Isuzu ATF II/III
 Jaguar JLM 20238/20292/21044, JASO M315 Type 1A; Mazda M-III/Type T-IV / JWS 3309
 MB 236.5 / 236.6 / 236.7 / 236.8; MB 236.9 / 236.10 / 236.11 / 236.91 / 236.93
 Mitsubishi SP-II/SP-III/J2, Nissan Matic D/J/K; Subaru ATF HP; Suzuki ATF 3314/3317
 Toyota DII/T-T-III/T-IV, Volvo 97341 / 1161540; VW G 052 025 / 052 055

VW G 052 162 / 052 990 / 055 025; ZF TE-ML 11A / 11B

Part no. 21.20



ATF DMM

Allison C4 / TES-389; Cat TO-2
 DTFR 13C100 / 13C140 / 13C170
 Ford Mercon / M2C138-CJ / 166-H
 GM Dexron IID / IIE / IIIF / IIIG / IIIH
 MAN 339 Typ Z1 / V1
 MB 236.1 / 236.5 / 236.6 / 236.7 / 236.9 / 236.93
 Voith 55.6335 (G607); Volvo 97341

ZF TE-ML 02F/03D/04D/09/11A/11B/14A/17C

Part no. 21.02



ATF JP

Aisin Warner JWS 3309 / 3324; Allison C4 / TES-228; BMW 7045E / 8072B
 Chrysler ATF+3 / ATF+4; DTFR 13C100 / 13C140 / 13C150 / 13C170A
 Ford Mercon / M2C 138CJ / 166H / 922-A1 / 924-A; GM Dexron IID / IIE / IIIG /
 IIH, TASA; Honda ATF-Z1 (except in CVT); Hyundai/Kia SP-II/SP-III, Isuzu Besco
 ATF II/III; JASO M 315-2013 Type 1A; Mazda ATF M-V; MB 236.1/236.6/236.7/23
 6.8/236.9/236.10/236.93; Nissan Matic C/D/J/K; Subaru ATF / ATF 5AT / ATF HP /
 Dexron II; Suzuki ATF 3314; Toyota ATF T-III / T-IV / D-II / WS
 Volvo 1161540; VW G 055 025, ZF TE-ML 09 / 11A / 11B

Part no. 21.09



ATF 8G

BMW 8322 2152426/2289720(ATF3+)

Chrysler 68157995AA

Fiat 9.55550-AV5

Jaguar 02JDE 26444

Land Rover LR023288

VW G 060 162

Part no. 21.03

TRANSMISSION FLUIDS



ATF 9G
MB 236.17
Part no. 21.06



ATF 15 LVB
MB 236.15
Part no. 21.04



ATF Long Life
Allison C4 / TES-389; Cat TO-2; DTFR 13C100 / 13C140 / 13C170; Ford Mercon / M2C138-CJ / 166-H; GM Dexron IID / IIE / IIIF / IIIG / IIIH; MAN 339 Typ Z1 / V1 / Z2 / V2
MB 236.1/236.5/236.6/236.7/236.9/236.10/236.93; Voith 55.6335 / 55.6336
Volvo 97340 / 97341; ZF TE-ML 02F/03D/04D/09/11A/11B/14A/14B/16L/17C
Part no. 21.18



MULTI Double Clutch Transmission Fluid
BMW DCTF-1 / 1+ / 2 / LT-5; Borg warner; Bugatti Veyron; Chrysler 68044345 EA & GA; DTFR 13C130; Ferrari TF DCT-F3; Fiat 9.55550-HE2 / MZ6; Ford WSS-M2C936-A / M2C218-A1 / M2C200-D2; Hyundai/Kia MB 236.21 / 236.22 / 236.24 / 236.25 / 239.21; Mitsubishi Dia-Queen SSTF-1; Porsche/ZF FFL-3; PSA 9734 S2; Renault EDC / DC4 / DW5 / DW6
Volvo 1161838 / 1161839; VW G 052 182 / 052 529 / 055 529
VW G 052 536 / 055 536
Part no. 33.03



MULTI CVT Fluid
Chrysler/Dodge/Jeep NS-2 / Mopar CVTF+4; Daihatsu Amix CVTF DC / DFC / DFE
Ford WSS-M2C928-A / Hybrid e-CVT; GM DEX-CVT / 1940713 / 1940714
Honda HMMF (without starting clutch) / HCF2 / HEVF; Hyundai/Kia CVT-1 / SP III (CVT model); Jatco CVT 8 Hybrid; Mazda JWS 3320; MB 236.20; Mitsubishi SP-III (only CVT) / CVTF J1/(ECO)J4/J4+; Mini Cooper EZL 799 / 799A; Nissan NS-1/2/2V/3 / N-CVT
Subaru ECVT / iCVT / iCVT FG / CVT-LV / NS-2; Subaru Lineartronic High Torque (HT) CVTF
Subaru Lineartronic chain CVTF / CVTF II/III; Suzuki CVTF TC / 3320 / 4401 / NS-2 / Green 1/2/1V; Toyota CVTF TC / FE / THSII; VW G 052 180 / G 052 516
Part no. 33.02

Marine Series Engine Oils

OUTBOARD RANGE



4T Marine Outboard 10W30

NMMA FC-W
Part no. 14.02



4T Marine Outboard 10W40

NMMA FC-W
Part no. 14.04



4T Marine Outboard 25W40

NMMA FC-W
Part no. 14.03



HD Skipper Marine Xtra 1240

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 12
Part no. 42.02



HD Skipper Marine HMS-1200 - 15W40

API SF/CC
CCMC G2/D1
MIL-L-46152B/C
Ford M2C153-C (SF/CC)
Ford M2C9011-A
GM 6085M
Part no. 03.03



HD Skipper Marine 1630

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.03



HD Skipper Marine 1230

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 12
Part no. 42.01



HD Skipper Marine 840

API CC
MIL-L-2104A
DEF 2101D
Part no. 02.02



HD Skipper Marine 2040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.06

SKIPPER RANGE

Marine Series Engine Oils

SKIPPER RANGE



HD Skipper Marine 1640

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.04



HD Captain Marine 3030

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.07



HD Captain Marine 3040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 11
Part no. 42.08



HD Captain Marine 4040

API CF; Wärtsilä; MAN
MaK; Yanmar; Daihatsu
HiMSEN; FZG load stage: 10
Part no. 42.09



HD Captain Marine 4050

MAN Energy Solutions
Winterthur Gas & Diesel (WinGD)
Japan Engine Corporation (J-ENG)
Part no. 42.12

CAPTAIN RANGE

